

# **Everlife Waterborne Enamel Satin Black - F10002**

# **ICP Construction**

Version No: **2.2**Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Issue Date: **07/11/2018**Print Date: **07/11/2018**S.GHS.USA.EN

# **SECTION 1 IDENTIFICATION**

#### **Product Identifier**

Product name	Everlife Waterborne Enamel Satin Black - F10002		
Synonyms Not Available			
Other means of identification	Not Available		

#### Recommended use of the chemical and restrictions on use

Relevant identified uses	Use according to manufacturer's directions.
--------------------------	---

# Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	ICP Construction		
Address 150 Dascomb Road Andover MA United States			
Telephone	978-623-9980		
Fax	Not Available		
Website	http://www.icp-construction.com/		
Email	Not Available		

# **Emergency phone number**

Association / Organisation	Chemtel				
Emergency telephone numbers	1-800-255-3924				
Other emergency telephone numbers	1-813-248-0585				

# **SECTION 2 HAZARD(S) IDENTIFICATION**

#### Classification of the substance or mixture



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification

Carcinogenicity Category 2

# Label elements

Hazard pictogram(s)



SIGNAL WORD

WARNING

# Hazard statement(s)

H351 Suspected of causing cancer.

# Hazard(s) not otherwise specified

Not Applicable

# Precautionary statement(s) General

Version No: 2.2

#### Everlife Waterborne Enamel Satin Black - F10002

Issue Date: 07/11/2018 Print Date: 07/11/2018

P101	P101 If medical advice is needed, have product container or label at hand.				
P102	Keep out of reach of children.				
Precautionary statement(s) Pr	Precautionary statement(s) Prevention				
P201	Obtain special instructions before use.				
P281	Use personal protective equipment as required.				
Precautionary statement(s) Re	esponse				
P308+P313	IF exposed or concerned: Get medical advice/attention.				
Precautionary statement(s) Storage					
P405	Store locked up.				

# Precautionary statement(s) Disposal

P501

Dispose of contents/container in accordance with local regulations.

#### **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### **Substances**

See section below for composition of Mixtures

# Mixtures

CAS No	%[weight]	Name
57-55-6	1-5	propylene glycol
1333-86-4	3.22	carbon black

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

# **SECTION 4 FIRST-AID MEASURES**

# Description of first aid measures

Eye Contact	If this product comes in contact with eyes:  • Wash out immediately with water.  • If irritation continues, seek medical attention.  • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact  If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.	
Inhalation	<ul> <li>If furnes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

# Most important symptoms and effects, both acute and delayed

See Section 1

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 FIRE-FIGHTING MEASURES**

# Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

# Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

#### Special protective equipment and precautions for fire-fighters

Special protective equipment and precautions for the highest				
<ul> <li>► Alert Fire Brigade and tell them location and nature of hazard.</li> <li>► Wear breathing apparatus plus protective gloves in the event of a fire.</li> </ul>				
Fire/Explosion Hazard	<ul> <li>Non combustible.</li> <li>Not considered a significant fire risk, however containers may burn.</li> <li>May emit poisonous fumes.</li> <li>May emit corrosive fumes.</li> </ul>			

Chemwatch: **9-561652** Version No: **2.2**  Page 3 of 8

**Everlife Waterborne Enamel Satin Black - F10002** 

Issue Date: **07/11/2018**Print Date: **07/11/2018** 

# **SECTION 6 ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

See section 8

#### **Environmental precautions**

See section 12

#### Methods and material for containment and cleaning up

mothodo dha matorial for con	diminion and olouning up
Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> </ul>
Major Spills	Moderate hazard. ► Clear area of personnel and move upwind.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### **SECTION 7 HANDLING AND STORAGE**

#### Precautions for safe handling

Safe handling

- ► Avoid all personal contact, including inhalation.
- ▶ Wear protective clothing when risk of exposure occurs.
- ▶ **DO NOT** allow clothing wet with material to stay in contact with skin

Other information

# Conditions for safe storage, including any incompatibilities

Suitable container	<ul> <li>▶ Polyethylene or polypropylene container.</li> <li>▶ Packing as recommended by manufacturer.</li> </ul>
Storage incompatibility	None known

# **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

# **Control parameters**

# OCCUPATIONAL EXPOSURE LIMITS (OEL)

# INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US NIOSH Recommended Exposure Limits (RELs)	carbon black	Acetylene black, Channel black, Furnace black, Lamp black, Thermal black	3.5 mg/m3	Not Available	Not Available	Ca See Appendix A See Appendix C
US ACGIH Threshold Limit Values (TLV)	carbon black	Carbon black	3 mg/m3	Not Available	Not Available	TLV® Basis: Bronchitis
US OSHA Permissible Exposure Levels (PELs) - Table Z1	carbon black	Carbon black	3.5 mg/m3	Not Available	Not Available	Not Available

# EMERGENCY LIMITS

Ingredient	Material name TEEL-1		TEEL-2	TEEL-3
propylene glycol	Polypropylene glycols	30 mg/m3	330 mg/m3	2,000 mg/m3
propylene glycol	Propylene glycol; (1,2-Propanediol)	30 mg/m3	1,300 mg/m3	7,900 mg/m3
carbon black	Carbon black	9 mg/m3	99 mg/m3	590 mg/m3

Ingredient	Original IDLH	Revised IDLH
propylene glycol	Not Available	Not Available
carbon black	1750 mg/m3	Not Available

#### **Exposure controls**

# Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

# Personal protection







# Eye and face protection

► Safety glasses with side shields.

# Skin protection

Chemical goggles.See Hand protection below

► Wear chemical protective gloves, e.g. PVC.

#### Hands/feet protection

Wear crieffical protective gloves, e.g. 1 vo.
 Wear safety footwear or safety qumboots, e.g. Rubber

Chemwatch: 9-561652 Page 4 of 8 Issue Date: 07/11/2018 Version No: 2.2 Print Date: 07/11/2018

# **Everlife Waterborne Enamel Satin Black - F10002**

	The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Body protection	See Other protection below
Other protection	► Overalls. ► P.V.C.

# Respiratory protection

# **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

# Information on basic physical and chemical properties

Appearance	Not Available		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

# **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 TOXICOLOGICAL INFORMATION**

# Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. The odour of isopropanol may give some warning of exposure, but odour fatigue may occur. Inhalation of isopropanol may produce irritation of the nose and throat with sneezing, sore throat and runny nose.
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.  Swallowing 10 millilitres of isopropanol may cause serious injury; 100 millilitres may be fatal if not properly treated. The adult single lethal dose is approximately 250 millilitres.
Skin Contact	Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions.  There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons.  511ipa  Open cuts, abraded or irritated skin should not be exposed to this material  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Еуе	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).  Isopropanol vapour may cause mild eye irritation at 400 parts per million. Splashes may cause severe eye irritation, possible burns to the comea and eye damage.
Chronic	There has been concern that this material can cause cancer or mutations, but there is not enough data to make an assessment.  Long term, or repeated exposure of isopropanol may cause inco-ordination and tiredness.  Repeated inhalation exposure to isopropanol may produce sleepiness, inco-ordination and liver degeneration.

Page 5 of 8 Chemwatch: 9-561652 Issue Date: 07/11/2018 Version No: 2.2 Print Date: 07/11/2018

# Everlife Waterborne Enamel Satin Black - F10002

Everlife Waterborne Enamel	TOXICITY	IRRITATION	IRRITATION		
Satin Black - F10002	Not Available Not Available				
	TOXICITY	IRRITATION			
	Dermal (rabbit) LD50: 11890 mg/kg <sup>[2]</sup>	Eye (rabbit): 100	Eye (rabbit): 100 mg - mild		
propylene glycol	Oral (rat) LD50: 20000 mg/kg <sup>[2]</sup>	Eye (rabbit): 500	Eye (rabbit): 500 mg/24h - mild		
		Skin(human):10-	Skin(human):104 mg/3d Intermit Mod		
		Skin(human):500	) mg/7days mild	1	
	TOXICITY			IRRITATION	
carbon black	Dermal (rabbit) LD50: >3000 mg/kg <sup>[2]</sup>			Not Available	
	Oral (rat) LD50: >10000 mg/kg <sup>[1]</sup>				
Legend:	Value obtained from Europe ECHA Registered Substated at a extracted from RTECS - Register of Toxic Effect of the second sec		from manufact	urer's SDS. Unless otherwise specified	
PROPYLENE GLYCOL	The acute oral toxicity of propylene glycol is very low; larg occurs only at blood concentrations over 1 g/L, which rec consuming foods or supplements which contain 1g/kg of The material may cause skin irritation after prolonged or scaling and thickening of the skin.	quires extremely high intake over a relati PG at most.	vely short perio	d of time; this is nearly impossible with	
	No significant acute toxicological data identified in literat	ture search.			
CARBON BLACK	WARNING: This substance has been classified by the IARC as Group 2B: Possibly Carcinogenic to Humans. Inhalation (rat) TCLo: 50 mg/m3/6h/90D-I Nil reported				
Acute Toxicity	0	Carcinogenicity	·		
Skin Irritation/Corrosion	0	Reproductivity	0		
Serious Eye Damage/Irritation	0	STOT - Single Exposure	0		
Respiratory or Skin	0	STOT - Repeated Exposure	0		

Legend:

**Aspiration Hazard** 

X - Data available but does not fill the criteria for classification

✓ – Data available to make classification Data Not Available to make classification

0

# **SECTION 12 ECOLOGICAL INFORMATION**

sensitisation Mutagenicity

0

# Toxicity

	NOEC	96		Fish	=1000n	ng/L	1
carbon black	LC50	96		Fish	=1000n	ng/L	1
	ENDPOINT	TEST DURAT	ION (HR)	SPECIES	VALUE		SOURCE
	NOEC	168	Fish			98mg/L	4
propylene glycol	EC50	96	Algae o	Algae or other aquatic plants		19000mg/L	2
	EC50	48	Crustae	Crustacea		>1000mg/L	4
	LC50	96	Fish	Fish		710mg/L	4
	ENDPOINT	TEST DURATION	(HR) SPECII	ES	VALUE	SOURCE	
Satin Black - F10002	Not Available	Not Available	Not Available		Not Availal	Not Available No	
Everlife Waterborne Enamel	ENDPOINT TEST DURATION (HR)		ON (HR)	SPECIES	VALUE	VALUE SO	

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

DO NOT discharge into sewer or waterways

# Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
propylene glycol	LOW	LOW

Page 6 of 8

Issue Date: 07/11/2018 Print Date: 07/11/2018 **Everlife Waterborne Enamel Satin Black - F10002** 

#### Bioaccumulative potential

Ingredient	Bioaccumulation
propylene glycol	LOW (BCF = 1)

#### Mobility in soil

Ingredient	Mobility
propylene glycol	HIGH (KOC = 1)

# **SECTION 13 DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Product / Packaging disposal

- ► Containers may still present a chemical hazard/ danger when empty.
- ▶ Return to supplier for reuse/ recycling if possible.

Legislation addressing waste disposal requirements may differ by country, state and/or territory. Each user must refer to laws operating in their area.

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains
- It may be necessary to collect all wash water for treatment before disposal.
- Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.

# **SECTION 14 TRANSPORT INFORMATION**

#### Labels Required

Marine Pollutant

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

PROPYLENE GLYCOL(57-55-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Not Applicable

# **SECTION 15 REGULATORY INFORMATION**

# Safety, health and environmental regulations / legislation specific for the substance or mixture

US - Pennsylvania - Hazardous Substance List	US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)
US - Rhode Island Hazardous Substance List	US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants
US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US AIHA Workplace Environmental Exposure Levels (WEELs)	US TSCA Chemical Substance Inventory - Interim List of Active Substances
CARBON BLACK(1333-86-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS	
International Agency for Research on Cancer (IARC) - Agents Classified by the IARC	US - Rhode Island Hazardous Substance List
Monographs	US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants
US - Alaska Limits for Air Contaminants	US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
US - California Permissible Exposure Limits for Chemical Contaminants	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air
US - California Proposition 65 - Carcinogens	Contaminants
US - Hawaii Air Contaminant Limits	US - Washington Permissible exposure limits of air contaminants
US - Idaho - Limits for Air Contaminants	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US - Massachusetts - Right To Know Listed Chemicals	US ACGIH Threshold Limit Values (TLV)
US - Michigan Exposure Limits for Air Contaminants	US ACGIH Threshold Limit Values (TLV) - Carcinogens
US - Minnesota Permissible Exposure Limits (PELs)	US NIOSH Recommended Exposure Limits (RELs)
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL):	US OSHA Permissible Exposure Levels (PELs) - Table Z1
Carcinogens	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA Chemical Substance Inventory - Interim List of Active Substances

# **Federal Regulations**

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SECTION 311/312 HAZARD CATEGORIES

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

Flammable (Gases, Aerosols, Liquids, or Solids)	No
Gas under pressure	No
Explosive	No
Self-heating	No
Pyrophoric (Liquid or Solid)	No
Pyrophoric Gas	No

Version No: 2.2

#### Everlife Waterborne Enamel Satin Black - F10002

	10000 Dato: 0171 172010	
Satin Black - F10002	Print Date: 07/11/2018	
	1	

Corrosive to metal	No
Oxidizer (Liquid, Solid or Gas)	No
Organic Peroxide	No
Self-reactive	No
In contact with water emits flammable gas	No
Combustible Dust	No
Carcinogenicity	Yes
Acute toxicity (any route of exposure)	No
Reproductive toxicity	No
Skin Corrosion or Irritation	No
Respiratory or Skin Sensitization	No
Serious eye damage or eye irritation	No
Specific target organ toxicity (single or repeated exposure)	No
Aspiration Hazard	No
Germ cell mutagenicity	No
Simple Asphyxiant	No

#### US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

None Reported

#### **State Regulations**

#### US. CALIFORNIA PROPOSITION 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm

#### US - CALIFORNIA PROPOSITION 65 - CARCINOGENS & REPRODUCTIVE TOXICITY (CRT): LISTED SUBSTANCE

Carbon black (airborne, unbound particles of respirable size) Listed

# **National Inventory Status**

National Inventory	Status
Australia - AICS	Υ
Canada - DSL	Υ
Canada - NDSL	N (propylene glycol; carbon black)
China - IECSC	Υ
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	Υ
Korea - KECI	Υ
New Zealand - NZIoC	Υ
Philippines - PICCS	Υ
USA - TSCA	Υ
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

#### **SECTION 16 OTHER INFORMATION**

Revision Date	07/11/2018	
Initial Date	07/12/2018	

# CONTACT POINT

\*\*PLEASE NOTE THAT TITANIUM DIOXIDE IS NOT PRESENT IN CLEAR OR NEUTRAL BASES\*\*

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

# **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

 ${\sf NOAEL:} No\ {\sf Observed}\ {\sf Adverse}\ {\sf Effect}\ {\sf Level}$ 

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

Chemwatch: 9-561652 Page 8 of 8 Issue Date: 07/11/2018 Version No: 2.2 Print Date: 07/11/2018

**Everlife Waterborne Enamel Satin Black - F10002** 

OTV: Odour Threshold Value BCF: BioConcentration Factors
BEI: Biological Exposure Index

Powered by AuthorITe, from Chemwatch.