

Everlife Waterborne Enamel Satin Medium Base - F10092

ICP Construction

Version No: 1.1 Safety Data Sheet according to OSHA HazCom Standard (2012) requirements Issue Date: **07/11/2018** Print Date: **07/11/2018** S.GHS.USA.EN

SECTION 1 IDENTIFICATION

Product Identifier

| Product name | Everlife Waterborne Enamel Satin Medium Base - F10092 |
|-------------------------------|---|
| Synonyms | Not Available |
| Other means of identification | Not Available |

Recommended use of the chemical and restrictions on use

| Relevant identified uses | Use according to manufacturer's directions. |
|--------------------------|---|
|--------------------------|---|

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

| Registered company name | ICP Construction |
|-------------------------|---|
| Address | 150 Dascomb Road Andover MA United States |
| Telephone | 978-623-9980 |
| Fax | Not Available |
| Website | http://www.icp-construction.com/ |
| Email | Not Available |

Emergency phone number

| Association / Organisation | Chemtel |
|-----------------------------------|----------------|
| Emergency telephone numbers | 1-800-255-3924 |
| Other emergency telephone numbers | 1-813-248-0585 |

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification

Carcinogenicity Category 2

Label elements

Hazard pictogram(s)



SIGNAL WORD

WARNING

Hazard statement(s)

H351 Suspected of causing cancer.

Hazard(s) not otherwise specified

Not Applicable

Precautionary statement(s) General

Version No: 1.1

Everlife Waterborne Enamel Satin Medium Base - F10092

Issue Date: 07/11/2018 Print Date: 07/11/2018

| P101 | If medical advice is needed, have product container or label at hand. |
|--|---|
| P102 | Keep out of reach of children. |
| Propositionary statement/s) Provention | |

Precautionary statement(s) Prevention

| P201 | Obtain special instructions before use. |
|------|--|
| P281 | Use personal protective equipment as required. |

Precautionary statement(s) Response

| | P308+P313 | IF exposed or concerned: Get medical advice/attention. |
|--|-----------|--|

Precautionary statement(s) Storage

| P405 | Store locked up. |
|------|------------------|

Precautionary statement(s) Disposal

| P501 | Dispose of contents/container in accordance with local regulations. |
|-------------|---|
|-------------|---|

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name |
|-----------|-----------|----------------------------|
| 1317-70-0 | 5-15 | titanium dioxide (anatase) |
| 57-55-6 | 1-5 | propylene glycol |

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

| Eye Contact | If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|--|
| Skin Contact | If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

Most important symptoms and effects, both acute and delayed

See Section 1

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

| Fire Incompatibility | None known. |
|--|--|
| | |
| Special protective equipment and precautions for fire-fighters | |
| Fire Fighting | Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. |

Fire Fighting ► Wear breathing apparatus plus protective gloves in the event of a fire. ► Non combustible.

Fire/Explosion Hazard

▶ Not considered a significant fire risk, however containers may burn.

May emit poisonous fumes.

May emit corrosive fumes.

Issue Date: **07/11/2018**Print Date: **07/11/2018**

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

| | 5 . |
|--------------|--|
| Minor Spills | ▶ Clean up all spills immediately. ▶ Avoid breathing vapours and contact with skin and eyes. |
| Major Spills | Moderate hazard. ► Clear area of personnel and move upwind. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling

- ► Avoid all personal contact, including inhalation.
- ▶ Wear protective clothing when risk of exposure occurs.
- ▶ DO NOT allow clothing wet with material to stay in contact with skin

Other information

Conditions for safe storage, including any incompatibilities

| - · · · · · · · · · · · · · · · · · · · | |
|---|---|
| Suitable container | Polyethylene or polypropylene container. Packing as recommended by manufacturer. |
| Storage incompatibility | Titanium dioxide reacts with strong acids, strong oxidisers reacts violently with aluminium, calcium, hydrazine, lithium (at around 200 deg C.), magnesium, potassium, sodium, zinc, especially at elevated temperatures - these reactions involves reduction of the oxide and are accompanied by incandescence dust or powders can ignite and then explode in a carbon dioxide atmosphere None known |

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|--|----------------------------|---|---------------|---------------|---------------|---------------------|
| US NIOSH Recommended Exposure Limits (RELs) | titanium dioxide (anatase) | Rutile, Titanium oxide, Titanium peroxide | Not Available | Not Available | Not Available | Ca See Appendix A |
| US ACGIH Threshold Limit Values (TLV) | titanium dioxide (anatase) | Titanium dioxide | 10 mg/m3 | Not Available | Not Available | TLV® Basis: LRT irr |
| US OSHA Permissible Exposure Levels (PELs) - Table Z1 | titanium dioxide (anatase) | Titanium dioxide: Total dust | 15 mg/m3 | Not Available | Not Available | Not Available |

EMERGENCY LIMITS

| Ingredient | Material name | TEEL-1 | TEEL-2 | TEEL-3 |
|----------------------------|-------------------------------------|----------|-------------|-------------|
| titanium dioxide (anatase) | Titanium oxide; (Titanium dioxide) | 30 mg/m3 | 330 mg/m3 | 2,000 mg/m3 |
| propylene glycol | Polypropylene glycols | 30 mg/m3 | 330 mg/m3 | 2,000 mg/m3 |
| propylene glycol | Propylene glycol; (1,2-Propanediol) | 30 mg/m3 | 1,300 mg/m3 | 7,900 mg/m3 |

| Ingredient | Original IDLH | Revised IDLH |
|----------------------------|---------------|---------------|
| titanium dioxide (anatase) | 5000 mg/m3 | Not Available |
| propylene glycol | Not Available | Not Available |

Exposure controls

| Appropriate 6 | engineering |
|---------------|-------------|
| | controls |

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

Personal protection







Eye and face protection

- Safety glasses with side shields.
- Chemical goggles.

Skin protection

See Hand protection below

Version No: 1.1

Everlife Waterborne Enamel Satin Medium Base - F10092

Issue Date: **07/11/2018**Print Date: **07/11/2018**

| Hands/feet protection | ▶ Wear chemical protective gloves, e.g. PVC. ▶ Wear safety footwear or safety gumboots, e.g. Rubber The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. |
|-----------------------|---|
| Body protection | See Other protection below |
| Other protection | ► Overalls. ► P.V.C. |

Respiratory protection

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Appearance | Not Available | | |
|--|---------------|---|---------------|
| Physical state | Liquid | Relative density (Water = 1) | Not Available |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Available |
| pH (as supplied) | Not Available | Decomposition temperature | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Available |
| Flash point (°C) | Not Available | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Available | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Available | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Available | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water (g/L) | Immiscible | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |
| | | | • |

SECTION 10 STABILITY AND REACTIVITY

| Reactivity | See section 7 |
|------------------------------------|--|
| Chemical stability | Unstable in the presence of incompatible materials. Product is considered stable. |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

| | 4 |
|--------------|---|
| Inhaled | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. The odour of isopropanol may give some warning of exposure, but odour fatigue may occur. Inhalation of isopropanol may produce irritation of the nose and throat with sneezing, sore throat and runny nose. |
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. Swallowing 10 millilitres of isopropanol may cause serious injury; 100 millilitres may be fatal if not properly treated. The adult single lethal dose is approximately 250 millilitres. |
| Skin Contact | Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons. 511ipa Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. |
| Eye | Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn). Isopropanol vapour may cause mild eye irritation at 400 parts per million. Splashes may cause severe eye irritation, possible burns to the comea and eye damage. |

Chemwatch: **9-561675**Version No: **1.1**

Page 5 of 8

Everlife Waterborne Enamel Satin Medium Base - F10092

Issue Date: **07/11/2018**Print Date: **07/11/2018**

Chronic

There has been concern that this material can cause cancer or mutations, but there is not enough data to make an assessment. Long term, or repeated exposure of isopropanol may cause inco-ordination and tiredness.

Repeated inhalation exposure to isopropanol may produce sleepiness, inco-ordination and liver degeneration.

| Everlife Waterborne Enamel | TOXICITY | IRRITATION | | |
|----------------------------|---|---|--|--|
| Satin Medium Base - F10092 | Not Available | Not Available | | |
| | | | | |
| | TOXICITY | | IRRITATION | |
| titanium dioxide (anatase) | Inhalation (rat) LC50: >2.28 mg/l4 h ^[1] | Inhalation (rat) LC50: >2.28 mg/l4 h ^[1] | | |
| | Oral (rat) LD50: >2000 mg/kg ^[1] | | | |
| | | | | |
| | TOXICITY | IRRITATION | | |
| | Dermal (rabbit) LD50: 11890 mg/kg ^[2] | Eye (rabbit): 100 mg - mild | | |
| propylene glycol | Oral (rat) LD50: 20000 mg/kg ^[2] | Eye (rabbit): 500 mg/24h - mild | I | |
| | | Skin(human):104 mg/3d Interm | ait Mod | |
| | Skin(human):500 mg/7days mild | | | |
| | | | | |
| Legend: | Number of the structure of the stru | | turer's SDS. Unless otherwise specified | |
| | * | | | |
| TITANIUM DIOXIDE (ANATASE) | Exposure to titanium dioxide is via inhalation, swallowing or skin contact. W of the lungs and immune system. | hen inhaled, it may deposit in lung ti | ssue and lymph nodes causing dysfunction | |

The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. **Acute Toxicity** 0 Carcinogenicity 0 Reproductivity 0 Skin Irritation/Corrosion Serious Eye Damage/Irritation 0 STOT - Single Exposure Respiratory or Skin 0 STOT - Repeated Exposure 0 sensitisation Mutagenicity 0 Aspiration Hazard

consuming foods or supplements which contain 1g/kg of PG at most.

Legend:

The acute oral toxicity of propylene glycol is very low; large amounts are needed to cause perceptible health damage in humans. Serious toxicity generally occurs only at blood concentrations over 1 g/L, which requires extremely high intake over a relatively short period of time; this is nearly impossible with

X - Data available but does not fill the criteria for classification

✓ – Data available to make classification

Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

PROPYLENE GLYCOL

Toxicity

| erlife Waterborne Enamel | ENDPOINT | TEST DURATION (HR) | SPECIES | VAL | .UE | SOURCE |
|----------------------------|---------------|--------------------|-------------------------------|--------|-----------|---------------|
| atin Medium Base - F10092 | Not Available | Not Available | Not Available | Not | Available | Not Available |
| | ENDPOINT | TEST DURATION (HR) | SPECIES | | VALUE | SOURCE |
| | LC50 | 96 | Fish | | 155mg/L | 2 |
| titanium dioxide (anatase) | EC50 | 48 | Crustacea | | >10mg/L | 2 |
| | EC50 | 72 | Algae or other aquatic plants | | 5.83mg/L | 4 |
| | EC20 | 72 | Algae or other aquatic plants | | 1.81mg/L | 4 |
| | NOEC | 336 | Fish | | 0.089mg/L | 4 |
| | | | | | | |
| | ENDPOINT | TEST DURATION (HR) | SPECIES | | VALUE | SOURCE |
| | LC50 | 96 | Fish | | 710mg/L | 4 |
| propylene glycol | EC50 | 48 | Crustacea | | >1000mg/L | 4 |
| | EC50 | 96 | Algae or other aquation | plants | 19000mg/L | 2 |
| | NOEC | 168 | Fish | | 98mg/L | 4 |

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Chemwatch: 9-561675 Page 6 of 8 Issue Date: 07/11/2018 Version No: 1.1 Print Date: 07/11/2018

Everlife Waterborne Enamel Satin Medium Base - F10092

DO NOT discharge into sewer or waterways.

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|----------------------------|-------------------------|------------------|
| titanium dioxide (anatase) | HIGH | HIGH |
| propylene glycol | LOW | LOW |

Bioaccumulative potential

| Ingredient | Bioaccumulation |
|----------------------------|-----------------|
| titanium dioxide (anatase) | LOW (BCF = 10) |
| propylene glycol | LOW (BCF = 1) |

Mobility in soil

| Ingredient | Mobility |
|----------------------------|-------------------|
| titanium dioxide (anatase) | LOW (KOC = 23.74) |
| propylene glycol | HIGH (KOC = 1) |

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

- ▶ Containers may still present a chemical hazard/ danger when empty.
- ▶ Return to supplier for reuse/ recycling if possible.

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area.

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains
- It may be necessary to collect all wash water for treatment before disposal.
- ▶ Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.

SECTION 14 TRANSPORT INFORMATION

Labels Required

| Marine Pollutant | NO |
|------------------|----|

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

TITANIUM DIOXIDE (ANATASE)(1317-70-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

| International Agency for Research on Cancer (IARC) - Agents Classified by the IARC | US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants |
|--|---|
| Monographs | US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air |
| US - Alaska Limits for Air Contaminants | Contaminants |
| US - California Proposition 65 - Carcinogens | US - Washington Permissible exposure limits of air contaminants |
| US - Hawaii Air Contaminant Limits | US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants |
| US - Idaho - Limits for Air Contaminants | US ACGIH Threshold Limit Values (TLV) |
| US - Massachusetts - Right To Know Listed Chemicals | US ACGIH Threshold Limit Values (TLV) - Carcinogens |
| US - Michigan Exposure Limits for Air Contaminants | US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive) |
| US - Minnesota Permissible Exposure Limits (PELs) | Rule |
| US - Oregon Permissible Exposure Limits (Z-1) | US NIOSH Recommended Exposure Limits (RELs) |
| US - Pennsylvania - Hazardous Substance List | US OSHA Permissible Exposure Levels (PELs) - Table Z1 |
| US - Rhode Island Hazardous Substance List | US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory |
| US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants | US TSCA Chemical Substance Inventory - Interim List of Active Substances |
| · | US TSCA Section 12(b) - List of Chemical Substances Subject to Export Notification |

PROPYLENE GLYCOL(57-55-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

| US - Pennsylvania - Hazardous Substance List | US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs) |
|--|--|
| US - Rhode Island Hazardous Substance List | US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants |
| US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values | US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory |
| US AIHA Workplace Environmental Exposure Levels (WEELs) | US TSCA Chemical Substance Inventory - Interim List of Active Substances |

Requirements

Version No: 1.1

Everlife Waterborne Enamel Satin Medium Base - F10092

Issue Date: 07/11/2018 Print Date: 07/11/2018

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SECTION 311/312 HAZARD CATEGORIES

| Flammable (Gases, Aerosols, Liquids, or Solids) | No |
|--|-----|
| Gas under pressure | No |
| Explosive | No |
| Self-heating | No |
| Pyrophoric (Liquid or Solid) | No |
| Pyrophoric Gas | No |
| Corrosive to metal | No |
| Oxidizer (Liquid, Solid or Gas) | No |
| Organic Peroxide | No |
| Self-reactive | No |
| n contact with water emits flammable gas | No |
| Combustible Dust | No |
| Carcinogenicity | Yes |
| Acute toxicity (any route of exposure) | No |
| Reproductive toxicity | No |
| Skin Corrosion or Irritation | No |
| Respiratory or Skin Sensitization | No |
| Serious eye damage or eye irritation | No |
| Specific target organ toxicity (single or repeated exposure) | No |
| Aspiration Hazard | No |
| Germ cell mutagenicity | No |
| Simple Asphyxiant | No |

US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

None Reported

State Regulations

US. CALIFORNIA PROPOSITION 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm

US - CALIFORNIA PROPOSITION 65 - CARCINOGENS & REPRODUCTIVE TOXICITY (CRT): LISTED SUBSTANCE

Titanium dioxide (airborne, unbound particles of respirable size) Listed

National Inventory Status

| National Inventory | Status |
|-------------------------------|---|
| Australia - AICS | Υ |
| Canada - DSL | Y |
| Canada - NDSL | N (propylene glycol) |
| China - IECSC | Y |
| Europe - EINEC / ELINCS / NLP | Υ |
| Japan - ENCS | Y |
| Korea - KECI | Y |
| New Zealand - NZIoC | Υ |
| Philippines - PICCS | Υ |
| USA - TSCA | Υ |
| Legend: | Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) |

SECTION 16 OTHER INFORMATION

| Revision Date | 07/11/2018 |
|---------------|------------|
| Initial Date | 07/12/2018 |

CONTACT POINT

PLEASE NOTE THAT TITANIUM DIOXIDE IS NOT PRESENT IN CLEAR OR NEUTRAL BASES

Other information

Ingredients with multiple cas numbers

| Name | CAS No |
|----------------------------|-----------------------|
| titanium dioxide (anatase) | 1317-70-0, 13463-67-7 |

 Chemwatch: 9-561675
 Page 8 of 8
 Issue Date: 07/11/2018

Version No: 1.1 Everlife Waterborne Enamel Satin Medium Base - F10092

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

Definitions and abbreviations

PC – TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

Powered by AuthorITe, from Chemwatch.